The Unofficial Downton Abbey Sews

patterns

draped collar linen *jacket*

PATTERN

by **TINA LEWIS**

Project photo on page **42**;
instructions on page **89**

Reviving the vintage, open-seam treatment called fagoting, this cropped jacket of handkerchief linen has a flattering draped collar and cuffed long sleeves that are edged with decorative stitching. Next stop, garden party at the Grantham's.

© INTERWEAVE PRESS LLC
Not to be reprinted. All rights reserved. | *Please respect the copyright by not forwarding or distributing this document*

44"/54"
main
2-18

Linen Jacket
44" main

2-6	2 3/8 yds
8-10	2 1/2 yds
12-16	2 5/8 yds
18	2 2/3 yds





Linen Jacket
54" main

14	2 3/8 yds
16-18	2 1/2 yds





© INTERWEAVE PRESS LLC
Not to be reprinted. All rights reserved.
Please respect the copyright by not forwarding or distributing this document

20"/58
interfacing
2-18

Linen Jacket
20" interfacing

2-4 2 1/2 yds
6-14 2 5/8 yds





Linen Jacket
20" interfacing

16-18 3 yds



Linen Jacket
58" interfacing

2-10 1 yd
12-18 1 1 /8 yds

© INTERWEAVE PRESS LLC
Not to be reprinted. All rights reserved. | *Please respect the copyright by not forwarding or distributing this document*

44"/58"
lining
2-18



Linen Jacket
44" lining

14-16 1 2/3 yds



Linen Jacket
44" lining

2-12 1 1/8 yds



Linen Jacket
58" lining

2-12 1 yd
14-18 1 1 /8 yds

© INTERWEAVE PRESS LLC
Not to be reprinted. All rights reserved.
Please respect the copyright by not forwarding or distributing this document

GETTING STARTED BASIC TECHNIQUES AND TERMS YOU'LL NEED TO KNOW FOR THE PATTERN YOU HAVE DOWNLOADED.

ASSEMBLING FULL-SIZE PATTERN PRINTOUT



1 | When preparing to print the PDF, make sure that you are printing it at 100% and that there is no scaling. Check the settings for page scaling (should be "None") and check the preview to make sure that you will be printing at full size. Make sure that the box labeled "Auto-Rotate and Center" is unchecked (instructions apply specifically to Adobe Reader; if using another PDF reader, check for similar settings).

2 | To ensure that the pattern has printed at the correct scale, check the size of the TEST SQUARE. The Test Square should be 2" × 2".

3 | To begin assembling the pattern, cut off or fold the dotted margin around each page.

4 | The pages are numbered in rows, so the first row of pages is numbered 1a, 1b, 1c, etc. Line up the rows and match the dotted lines together so they overlap. Tape the pages together. Use the illustrated guide to match each piece. Once the pattern is complete, find your size, pin the pattern to the fabric, and follow the coordinating line to cut out or trace the pattern.

LAYOUT, MARKING + CUTTING GUIDELINES

1 | Find the lines that correspond to your size and trace the pattern pieces, either on tissue paper or directly onto the fabric, using tracing paper and a tracing wheel.

2 | If you are cutting pattern pieces on the fold or cutting two of the same pattern piece, fold the fabric in half, selvedge to selvedge, with right sides together. Note that this technique is not appropriate for some fabrics so check the project instructions if you are unsure.

3 | Lay the pattern pieces on the fabric as close together as possible. Double-check that all pattern pieces to be cut "on the fold" are placed on the fold.

4 | Make sure all pattern pieces are placed on the fabric with the grainline running parallel to the lengthwise grain unless a crosswise or bias grainline is present.

5 | Copy all pattern markings onto the wrong side of the fabric unless otherwise noted.

6 | Read through all cutting instructions listed in the project instructions for directions on how many pattern pieces to cut out of your fabric and interfacing.

7 | Use weights to hold the pattern pieces down and use pins to secure the corners as needed.

8 | Cut the pieces slowly and carefully.

PATTERN SYMBOLS + MARKINGS



BUTTON + BUTTONHOLE PLACEMENT MARKS Solid lines indicate buttonholes. A large open circle is the button symbol and shows placement.

CUTTING LINES Multisize patterns have different cutting lines for each size.

PLACE ON FOLD BRACKET This is a grainline marking with arrows pointing to the edge of the pattern. Place on the fold of the fabric so that your finished piece will be twice the size of the pattern piece, without adding a seam.

GRAINLINE The double-ended arrow should be parallel to the lengthwise grain or fold unless specifically marked as crosswise. Bias grainlines will be diagonal.

NOTCHES Notches are triangle-shaped symbols used for accurately matching seams. Pieces to be joined will have corresponding notches.



DARTS Dashed lines and dots mark darts. The dashed lines show where the stitching will be, and the dot shows the position of the dart point (signaling the point, at the end of the dart, where your stitching should end).

PATTERN DOTS Filled circles indicate that a mark needs to be made (often on the right side of the fabric) for placement of elements such as a pocket or a dart point. Mark by punching through the pattern paper only, then mark on the fabric through the hole.

SLASH MARKS A dashed line (sometimes appearing with pattern dots) indicates an area to be slashed. Further instructions for making the slash will be included in the pattern instructions.

© INTERWEAVE PRESS LLC
Not to be reprinted. All rights reserved. | *Please respect the copyright by not forwarding or distributing this document*



© INTERWEAVE PRESS LLC
Not to be reprinted. All rights reserved.
Please respect the copyright by not forwarding or distributing this document

la



1b



LINEN JACKET

SLEEVE (F)

cut 2 main (cut 1, cut 1 reverse)

cut 2 lining (cut 1, cut 1 reverse)

1c



LINEN JACKET

CUFF (G)
cut 4 main (cut 2, cut 2 reverse)
cut 2 intefacing (cut 1, cut 1 reverse)
2,4,6,8,10,12,14,16,18



1d




le

1f



2a



2b

cut 2 main (cut 1, cut 1 reverse)

cut 2 lining (cut 1, cut 1 reverse)

cut 2 interfacing (cut 1, cut 1 reverse)

2, 4, 6, 8, 10, 12, 14, 16, 18





LINEN JACKET

SIDE FRONT (B)

cut 2 main (cut 1, cut 1 r

cut 2 lining (cut 1, cut 1 r

cut 2 interfacing (cut 1, cut

2,4,6,8,10,12,14,16,


2d
CKET
(B)
ut 1 reverse)
ut 1 reverse)
, cut 1 reverse)
4,16,18
cut 4
2
4
6

2e

LINEN JACKET

FRONT (A)

cut 4 main (cut 2, cut 2 reverse)

2,4,6,8,10,12,14,16,18





LINEN JACKET

COLLAR BAND (E)

cut 1 main

cur 1 interfacing

2,4,6,8,10,12,14,16,18

3a



3b



3c



3d

4
6
8
10
12
14
16
18

place on fold


nter front
3e


3f

4a





LINEN JACKET

SIDE BACK (C)
cut 2 main (cut 1, cut 1 reverse)
cut 2 lining (cut 1, cut 1 reverse)
cut 2 interfacing (cut 1, cut 1 reverse)
2,4,6,8,10,12,14,16,18

4b


cut here for main
cut here for lining


4C

4d





LINEN JACKET

BACK (D)
cut 1 main on fold
cut 1 lining on fold
cut 1 interfacing on fold
2,4,6,8,10,12,14,16,18

4e


4f